

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



ROW	A	B	J
	PING DELTAS	SAMPLE	
6	0	1	
7	0.00092	2	383000 OBSERVED LINE SPEED
8	0.00097	3	61476 OBSERVED DISCRETE SPEED
9	0.00191	4	3.1150368 HOP COUNT (TWO WAY)
10	0.00347	5	0.0013513 OBSERVED T_w FOR HOP COUNT
11	0.00452	6	0.0033311 OBSERVED σT_w
12	0.00536	7	
13	0.00632	8	
14	0.00729	9	
15	0.01133	10	
16	0.00421	T_w	
17	0.00333	σT_w	

	A	B	C	D	E	F	G	
25	0.33	0.34	0.35	0.36	0.37	0.38	0.39	MAXU
26	0.985	1.030	1.077	1.125	1.175	1.226	1.279	MAXM
27	0.316	0.331	0.346	0.361	0.377	0.394	0.410	MINM
28	0.24	0.25	0.26	0.27	0.27	0.28	0.29	MINU
29	0.369	0.377	0.384	0.391	0.398	0.405	0.413	RATIO 1
30	0.406	0.406	0.406	0.406	0.406	0.406	0.406	RATIO 2

32	0.33	DISCRETE UTILIZATION (AVERAGE)
33	0.0013513	T_w
34	0.495	MESSAGES ON QUEUE
35	383000	SPEED THIS HOP
36	1045	NETWORK AVERAGE MESSAGE SIZE

FIG. 7




FIG. 8A




FIG. 8B